



***DECLARATION OF PERFORMANCE**

In accordance with Annex III of Regulation (EU) No. 305/2011
(Construction Product Regulation)

Everdure Caltite
No. 001

1. Unique identification code of the product-type:

EN 934-2:T9

2. Type, batch or serial number or any other element allowing identification of the construction product as set out in Article 11 (4):

Batch number: See product packaging

3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:

Water resisting admixture for concrete

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):

Cementaid (UK) Ltd

1 Baird Close, Crawley, West Sussex, RH10 9SY, United Kingdom

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not relevant

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 1+

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

The notified body (British Standards Institution No. 0086) has carried out the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and evaluation of factory production control according to system 1+ and issued the following:

Certificate of Factory Production Control

No. 0086 – CPR – 470878

8. In the case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Chloride ion content	Chloride free	BS EN 934-2:2009
Alkali content	<1% by mass	BS EN 934-2:2009
Corrosion behaviour	At 28 days test mix tested to EN480-14:2006. Pass	BS EN 934-2:2009
Compressive Strength	At 28 days test mix >85% of control	BS EN 934-2:2009
Air content	<2% by volume above control mix	BS EN 934-2:2009
Capillary absorption	Tested for 7 days after 7 days curing: test mix <50% by mass of control mix – Fulfilled. Tested for 28 days after 90 days curing: test mix <60% by mass of control mix – Fulfilled	BS EN 934-2:2009
Dangerous substances	See product Safety Data Sheet	BS EN 934-2:2009

Where specific technical documentation in accordance with Article 37 or 38 was used, the requirements with the product complies:

Not applicable

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Mr MJ Aldred (Director)

.....

(name and function)

CRAWLEY, UK 17.6.13

.....

(place and date of issue)

.....

(signature)

* NB - Circular issued by the Concrete Centre on 29th May, 2013, states:

“Specifiers should understand that CE marking was not intended as a quality standard. CE markings were originally designed for national market surveillance and enforcement authorities, rather than specifiers and consumers. CE marking communicates that a product meets a set of basic European harmonised standards. Professionals do need, however, to be aware of the purpose, and the limitations of CE marking in order to be able to fully safeguard the interests of their clients and to protect their own potential liability.”